

Romanian ID Issuer – SEID

SEID v2.0.0

Release Note

[Notes: The EOAPI is implemented according to EOAPI Specifications v2.0]

Release Features of EOAPI

GET /EconomicOperators

Returns all economic operators to which the current user has access

GET /EconomicOperators/{id}

Returns details of a specific economic operator

GET /EconomicOperators/{id}/routerResponse

Returns router responses of a specific economic operator

POST /EconomicOperators

Creates new Economic Operator

PUT / EconomicOperators /{id}

Update an Economic Operator

DELETE /EconomicOperators/{id}

Deactivate an Economic Operator

GET /Facilities

Returns all facilities to which the current user has access

GET /Facilities/{id}

Returns details of a specific facility

GET /Facilities/{id}/routerResponse

Returns router responses of a specific facility

POST /Facility

Creates new Facility

PUT / Facility /{id}

Update a Facility

DELETE /Facility/{id}

Deactivate a Facility

GET /Machines

Returns all machines to which the current user has access

GET /Machines/{id}

Returns details of a specific machine

GET /Machines/{id}/routerResponse

Returns router responses of a specific machine

POST /Machines

Creates new Machine

PUT /Machines/{id}

Update a Machine

DELETE /Machines/{id}

Deactivate a Machine

GET / UnitLevelIdentifiers

Returns all Unit Level Identifiers requested in the last 6 months

POST /UnitLevelIdentifiers

Creates new Unit Level Identifiers

GET /UnitLevelIdentifiers/{requestId}/status

Returns the status of a specific request for Unit Level Identifiers

GET /UnitLevelIdentifiers/{requestId}/routerResponse

Returns the router responses of a specific request for Unit Level Identifiers

PUT /UnitLevelIdentifiers/{requestId}/recall

Recall a specific request of Unit Level Identifiers.

GET /UnitLevelIdentifiers/{requestId}

GET / AggregatedLevelIdentifiers

Returns all Aggregated Level Identifiers requested in the last 6 months

POST / AggregatedLevelIdentifiers

Creates new Aggregated Level Identifiers

GET / AggregatedLevelIdentifiers /{requestId}/status

Returns the status of a specific request for Aggregated Level Identifiers

GET / AggregatedLevelIdentifiers /{requestId}/ routerResponse

Returns the router responses of a specific request for Aggregated Level Identifiers

PUT / AggregatedLevelIdentifiers /{requestId}/recall

Recall a specific request of Aggregated Level Identifiers.

GET / AggregatedLevelIdentifiers /{requestId}

Returns the requested Aggregated Level Identifiers

Useful resources

EOAPI Swagger

<https://staging.emitentid.cnin.ro/eoapi/swagger>

EOAPI Postman

Postman file

https://www.dropbox.com/s/o3y8rhi7xs1bn5p/EoAPI.postman_collection_v1_1.json?dl=0

How to setup the user and password in Postman

<https://www.dropbox.com/s/9l8wkmy9e2po2ri/eoApiPostmanSetUser.mp4?dl=0>

Executing Postman calls

<https://www.dropbox.com/s/91j29voblirbk5k/eoApidDemoPostman.mp4?dl=0>

SEID User Interface

<https://staging.emitentid.cnin.ro/backoffice>

Improvements and Fixes

- Updated models as specified in DATA DICTIONARY v2.0.0

Known Issues and Problems

N/A
